PARKRAY()



hunterstoves





you're home.


BRITISH

Shake off the cold and relax in the welcoming warmth of a Parkray stove. From slimline,

space-conscious solutions, to powerful stoves perfect for open-plan living, a Parkray fire can warm up any space. Our range of contemporary designs means that we have a stove to suit every setting.

You can relax knowing your stove is running at a standard which aims to improve air quality and reduce emissions. With easy control and Tripleburn® technology for ecofriendly, efficient burning, our Aspect stoves produce 5 times less smoke than required under the current Eco Design 2022 standards. Look out for the Eco Design 2022 and SIA logos for stoves which ensure a cleaner environment and peace of mind while you keep cosy.

Find the Parkray stove which offers the ideal solution to heat your home, today.


















10 year warranty*

ALL PARKRAY AUTHORISED DEALERS PROVIDE YOU WITH AN EXTENDED 10 YEAR WARRANTY


*Not available on gas. For full warranty specifications, terms and a list of authorised stockists, please visit www.hunterstoves.co.uk.




Naturally effortless, a Parkray gas stove provides an exquisite focal point in any home.

WITH A MIX OF CONTEMPORARY
AND TRADITIONAL GAS STOVES,
THE PARKRAY GAS RANGE OFFERS
SOMETHING FOR ALL TYPES OF HOMES.

Our Aspect and Consort gas models beautifully combine elegant aesthetics with advanced gas fire tehcnology.





AN EXCELLENT CHOICE FOR THOSE LOOKING TO FILL A SMALL SPACE, THE NEW ASPECT 4G ENSURES A GLOWING FLAME PICTURE.

The epitome of elegance and ease, this stove can be controlled with a digital display remote device for added convenience. With a log bed effect and a choice of black or stainless-steel handle, you can really tailor this model to suit your interior.



- NATURAL GAS
- · SINGLE DOOR

REALISTIC LOG EFFECT

IGITAL DISPLAY REMOT ONTROL NATURAL GAS UR LPI

HANDLE OPTIONS:
BLACK CHROME

HEAT INPUT 4.7kW

HEAT OUTPUT* 3.0kV

ENERGY EFFICIENCY CLAS

∥E .

* based on natural gas.






WITH A FLAME PICTURE THAT'S EQUALLY AS IMPRESSIVE AS THAT OF ITS WOOD BURNING COUNTERPART, THE ASPECT 7 GAS STOVE WILL ADD AN ELEGANT CENTREPIECE TO YOUR

A beautiful combination of stylish aesthetics and innovative gas fire technology, the Aspect 7 Gas is perfect for heating family spaces. With a choice between a log or coal effect and black or stainless-steel handle, you can tailor this model to suit your interior.



HEAT INPUT





THE CONSORT 5 GAS MODEL IS A SMALL STOVE WITH A LOT OF WARMTH TO GIVE.

Bringing all the traditional charm of the Consort range, this compact gas stove allows installation in a smaller fireplace, yet still offers a toasty heat output. Enjoy a wonderfully natural flame picture and a log bed that is exceptionally realistic, with the peace of mind that your stove is fitted with the highest standard of safety features.



· NATURAL GA

· SINGLE DOO

LACISTIO EGO EL TEGI

CONTROL

NATURAL GAS OR LPC

HANDLE OPTIONS: BLACK OR STAINLESS-STEEL

HANDLE

HEAT INPUT 4.7kW

HEAT OUTPUT* 3.3kV

ENERGY EFFICIENCY CLASS

| <u>-</u>

* based on natural gas.





FULL OF TRADITIONAL CHARM, THE CONSORT 7 GAS RANGE PROVIDES A SPLENDID BACKDROP FOR TREASURED FAMILY TIME.

The Consort 7 Gas combines a timeless design with forward-thinking gas technology to create an enchanting focal point for your home. With a digital-display remote control for added convenience, you can simply sit back and enjoy





· SINGLE D

LE DOOR DOU

REALISTIC LOG OR COAL EF

NATURAL GAS OR LPG

TRADITIONAL BLACK HANDLE

HEAT INPUT 6.5kW

HEAT OUTPUT* 5.4kW

ENERGY EFFICIENCY CLASS

E

* based on natural gas.





THE ASPECT 4 AND ASPECT 4 COMPACT ARE THE SMALLEST OF THE ASPECT COLLECTION, BUT THEY REALLY KICK OUT SOME HEAT.

With a heat output range of 3-5.5kW, DEFRA approval and a very high efficiency, these stoves may be small but ensure a beautiful view of the flames through their large viewing window.



ASPECT 4

COMPACT

HEAT OUTPUT

3kW TO 5kW

4.5kW

NOMINAL

ENERGY EFFICIENCY CLASS A+

HEAT OUTPUT

3.5kW TO 5.5kW

ASPECT 4





HIGHLY CONTROLLABLE, THE ASPECT 5
SERIES CAN CHANGE FROM A HIGH TO LOW
OUTPUT IN A MATTER OF SECONDS.

Even with their generous maximum outputs, these stoves have impressively low CO emissions, which means you can keep warm whilst being environmentally friendly.



5X LESS SMUKE

12 117 22 121

5" FLUE COLLA

TRIPLEBURN® TECHNOLO

HOT AIRWASH SYSTEM

LARGE VIEWING WINDU

0101121111 01 11011

BLACK CHROME

4kW TO 6kW

AND STAINLESS STEE



ASPECT 5
COMPACT

HEAT OUTPUT

NOMINAL

ENERGY EFFICIENCY CLASS A+



ASPECT 5

HEAT OUTPUT 4kW TO 7kW

NOMINAL 58

ENERGY EFFICIENCY CLASS

European Community Design Registration Number 003744416





THE ASPECT 6 OFFERS A TRULY MESMERISING VIEW OF THE FLAMES, MAKING AN ALLURING CENTREPIECE IN ANY ROOM.

Combining looks, controllability and high efficiency, the Aspect 6 is an excellent addition to any home. This stove boasts our famous Tripleburn® technology and offers a generous output of up to 7.5kW, making it an impressive all-rounder.





HEAT OUTPUT

4kW T0 7.5kW





CURL UP IN FRONT OF THE LARGE LANDSCAPE
WINDOW OF THE ASPECT 7 AND RELAX TO THE
PICTURESQUE VIEW OF THE FLAMES.

With clean lines, an elegant finish and a truly impressive output, the Aspect 7 will make a great addition to your living space. As with all the stoves in the Aspect range, the Aspect 7 comes with the choice of two different handles, helping it integrate beautifully into your home, whatever the interior.



3X EE33 3MORE

DEFRA APPROVEI

NO AIR BRICK REQUIR

5" FLUE COLLAR

TRIPI FBURN® TECHNOLOG

HOT AIRWASH SYSTEM

LARGE LANDSCAPE VIEV

0.0...

HANDLE UPTIONS:

AND STAINLESS STEEL



HEAT OUTPUT

4kW TO 7.5kW

.......

5kW

EDGY EEEICIENGY OLAS

Λ





THE ASPECT 8 HAS AN IMPRESSIVE OUTPUT, PERFECT FOR HEATING A LARGER ROOM.

This convection stove effortlessly combines science and style, keeping the whole family toasty when the nights draw in. This model boast a glorious flame picture, as well as reduced clearance distances to combustible materials, making it ideal for transforming any opening.



* Only with Aspect 8 Slimline.



HEAT OUTPUT

6kW TO 11kW

7.5kW

ASPECT 8





BRING YOUR HOME ALIVE WITH THE GLOW OF THE ASPECT 14 AND ITS TOASTY OUTPUT OF UP TO 15KW.

Great for heating larger family rooms, the Aspect 14 offers all the ambiance of a real fire, along with powerful Tripleburn® technology. This contemporary stove burns beautifully, and comes with two handle options to suit any interior.





HEAT OUTPUT

8kW TO 15kW

ENERGY EFFICIENCY CLASS A





aspect features

	ASPECT 4 COMPACT	ASPECT 4	ASPECT 5 COMPACT	ASPECT 5	ASPECT 6
DEFRA approved					
Nominal heat output to room (kW)	4.5	4.5	5.0	5.0	5.0
Heat output range (kW)	3-5	3.5-5.5	4-6	4-7	4-7.5
Efficiency on wood (%)	81	81	80	80	80
CO emission (at 13% O ₂) (%)	0.12	0.12	0.10	0.10	0.10
Boiler option	NA	NA	NA	NA	NA
Ventilation (mm²)	NA	NA	NA	NA	NA
Log lengths (mm)	300	300	400	400	450
Weight (kg)	59.5	64.9	74	81.3	92.1
Clearance distances to combustible materials (mm)*	Rear: 125 Side: 500	Rear: 125 Side: 500	Rear: 125 Side: 600	Rear: 125 Side: 600	Rear: 125 Side: 600
Clearance distances to non-combustible materials (mm)	Rear: 50 Side: 50				

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES NA = NOT APPLICABLE

^{*} Distances when installed with a twin walled flue (with the addition of a heat shield).



DIRECT AIR

All of our Aspect stoves come with the option of a direct air kit. This will allow a room sealed installation.

aspect options

PLINTH

You can choose to have your Aspect stove fitted on a log plinth, which raises it up off the floor and provides a handy place to store your wood.



ST0VE	HEIGHT	DEPTH	WIDTH
ASPECT 4 COMPACT	225	307	400
ASPECT 4	150/225	357	400
ASPECT 5 COMPACT	225	312	494
ASPECT 5	150/225	362	494
ASPECT 6	225	405	557
ASPECT 7	225	364	579
ASPECT 8	225	405	617
ASPECT 14	225	539	667

^{*} All dimensions are in mm.

BENCH

The stoves in the Aspect range have the option of being fitted on a bench. There is a choice of two lengths, 800mm and 1,195mm long. Both are at a height of 345mm and a depth of 415mm. Stoves fitted on benches can be installed on a 12mm hearth when freestanding.



INTERCHANGEABLE FLUE OUTLETS

All the Aspect range and gas models can be flued from either the top or the rear of the stove.

aspect features

	ASPECT 7	ASPECT 8	ASPECT 14	
DEFRA approved		Y	Y	
Nominal heat output to room (kW)		7.5	7.8	
Heat output range (kW)	4-7.5	6-11	8-15	
Efficiency on wood (%)	81	76	77	
CO emission (at 13% O2) (%)		0.06	0.10	
Boiler option	NA	NA	NA	
Ventilation (mm2)	NA	NA	NA	
Log lengths (mm)	480	500	540	
Weight (kg)	85.5	102.4	126.5	
	Rear: 125 Side: 500	Rear: 100 Side: 375	Rear: 100 Side: 525	
Clearance distances to non-combustible materials (mm)	Rear: 50	Rear: 50 Side: 50	Rear: 50 Side: 50	

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES N = NO NA = NOT APPLICABLE

* Distances when installed with a twin walled flue (with the addition of a heat shield).





28 PLEASE NOTE: All measurements are in millimetres (mm).

PARKRAY GAS features

	ν			
	ASPECT 7 GAS	CONSORT 5 GAS	CONSORT 7 GAS	ASPECT 4 GAS
Heat Output Range (kW)				
LPG	2.5 - 4.5	2.21 - 3.25	2.5 - 4.5	2.21- 3.25
Natural gas (NG)	2.8 - 4.4	2.24 - 3.01	2.8 - 4.4	2.24 - 3.01
Remote control		0		
Heat input (kW)				
LPG	6.5		6.5	
NG	6.5		6.5	
Heat output (kW)				
LPG	4.9	3.5	4.9	3.5
NG	4.9	3.3	4.9	3.5
Efficiency (%)				
Single door option			0	
Double door option	NA	NA	0	NA
Clearance distances to	Rear wall: 100	Rear wall: 100	Rear wall: 100	Rear wall: 100
combustible materials (mm)	Side: 100 Shelf/top: 300	Side: 150 Shelf/top: 250	Side: 100 Shelf/top: 300	Side: 150 Shelf/top: 250
Clearance distances to (mm)	Rear wall: 50	Rear wall: 50	Rear wall: 50	Rear wall:50
non-combustible materials	Side: 50 Shelf/top: 200	Side: 50 Shelf/top: 200	Side: 50 Shelf/top: 200	Side: 50 Shelf/top: 200
Minimum distance for				
hearth to extend in front of stove (mm)	50	50	50	

CONTACT YOUR DEALER FOR INSTALLATION ADVICE NA = NOT APPLICABLE S = STANDARD 0 = OPTION

PARKRAY GAS options

GAS TYPE

HANDLE

FUEL EFFECT

CONTROL

Each Parkray gas stove comes available with a hand-held digital display remote control. This handset can swtich the stove on and off, and comes with seven flame picture settings. In the case of a misplaced remote control, the manual control operation of the pager system will audibly locate your remote device.



FAQs

HOW MUCH SPACE WILL MY STOVE NEED?

With all our freestanding units, it is safe to install them with a clearance of 2" (50mm) either side and above the stove to noncombustible material. However, for optimum performance and heat output, we recommend a clearance of 6" (150mm). Behind the stove, there should be a minimum clearance of 2" (50mm), however we recommend 4" (100mm) to enable access to the tertiary air inlet.

For all our units, the hearth should extend 300mm in front of the appliance (from the door opening).


WHAT IS A NOMINAL HEAT OUTPUT?


The nominal output is the output achieved under specific test conditions by the independent test laboratory. The stoves tend to be operated with the air controls set at less than maximum and with relatively modest loads. We recognise that end users are unlikely to operate the stoves in this way and therefore we carry out internal testing to suggest a reasonable heat output range that the customer should achieve without over-firing the unit.















8 EMPEROR WAY EXETER DEVON EX1 3QS











